

## AccVerify Report

Verified File Name: <http://www.sjsu.edu/ugs/>

Date and Time: 3/16/2007 1:53:43 PM

### Failed Automated Verification

The level of detail setting for the report is to show all detail.

#### Verification Checklist

Checkpoints	Passed		
	Yes	No	Other
<b>508 Standards, Section 1194.22</b>			
<p><a href="#">A. 508 Standards, Section 1194.22, (a)</a> A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).</p> <ul style="list-style-type: none"> <li>● Rule: 1.1.1 - All IMG elements are required to contain either the alt or the longdesc attribute. <ul style="list-style-type: none"> <li>○ Warning - IMG Element found at Line: 56, Column: 278 contains the 'alt' attribute with an empty value. Please verify that this image is only used for spacing or design and has no meaning.</li> <li>○ Warning - IMG Element found at Line: 81, Column: 19 contains the 'alt' attribute with an empty value. Please verify that this image is only used for spacing or design and has no meaning.</li> <li>○ Warning - IMG Element found at Line: 84, Column: 4 contains the 'alt' attribute with an empty value. Please verify that this image is only used for spacing or design and has no meaning.</li> <li>○ Warning - IMG Element found at Line: 158, Column: 4 contains the 'alt' attribute with an empty value. Please verify that this image is only used for spacing or design and has no meaning.</li> <li>○ Warning - IMG Element found at Line: 167, Column: 17 contains the 'alt' attribute with an empty value. Please verify that this image is only used for spacing or design and has no meaning.</li> </ul> </li> <li>● Rule: 1.1.2 - All INPUT elements are required to contain the alt attribute or use a LABEL. <ul style="list-style-type: none"> <li>○ No invalid INPUT elements found in document.</li> </ul> </li> <li>● Rule: 1.1.3 - All OBJECT elements are required to contain element content. <ul style="list-style-type: none"> <li>○ No OBJECT elements found in document body.</li> </ul> </li> <li>● Rule: 1.1.4 - All APPLET elements are required to contain both element content and the alt attribute. <ul style="list-style-type: none"> <li>○ No APPLET elements found in document body.</li> </ul> </li> <li>● Rule: 1.1.6 - All IFRAME elements are required to contain element content. <ul style="list-style-type: none"> <li>○ No IFRAME elements found in document body.</li> </ul> </li> <li>● Rule: 1.1.7 - All Anchor elements found within MAP elements are required to contain the alt attribute. <ul style="list-style-type: none"> <li>○ No MAP elements found in document body.</li> </ul> </li> <li>● Rule: 1.1.8 - All AREA elements are required to contain the alt attribute. <ul style="list-style-type: none"> <li>○ No AREA elements found in document body.</li> </ul> </li> <li>● Rule: 1.1.9 - When EMBED Elements are used, the NOEMBED element is required in the document. <ul style="list-style-type: none"> <li>○ No EMBED elements found in document body.</li> </ul> </li> </ul>	Yes		

<p><a href="#">B. 508 Standards, Section 1194.22, (b)</a> Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.</p> <ul style="list-style-type: none"> <li>● Rule: 1.4.1 - Identify all OBJECT Elements that have a multimedia MIME type as the type attribute value. <ul style="list-style-type: none"> <li>○ No OBJECT elements found in document body.</li> </ul> </li> <li>● Rule: 1.4.2 - Identify all OBJECT Elements that have a 'data' attribute value with a multimedia file extension. <ul style="list-style-type: none"> <li>○ No OBJECT elements found in document body.</li> </ul> </li> <li>● Rule: 1.4.3 - Identify all EMBED Elements that have a 'src' attribute value with a multimedia file extension. <ul style="list-style-type: none"> <li>○ No EMBED elements found in document body.</li> </ul> </li> </ul> <p>Verified By: Russ Morris</p>			N/A
<p><a href="#">C. 508 Standards, Section 1194.22, (c)</a> Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.</p> <p>Verified By: Russ Morris</p>		No	
<p><a href="#">D. 508 Standards, Section 1194.22, (d)</a> Documents shall be organized so they are readable without requiring an associated style sheet.</p> <ul style="list-style-type: none"> <li>● Note: Document uses external stylesheets, inline style information, or header style information.</li> </ul> <p>Verified By: Russ Morris</p>	Yes		
<p><a href="#">E. 508 Standards, Section 1194.22, (e)</a> Redundant text links shall be provided for each active region of a server-side image map.</p> <ul style="list-style-type: none"> <li>● Rule: 1.2.1 - Locate any IMG element that contains the 'ismap' attribute. <ul style="list-style-type: none"> <li>○ No IMG elements found in document body that contain the 'ismap' attribute.</li> </ul> </li> <li>● Rule: 1.2.2 - Locate any INPUT element that contains the 'ismap' attribute. <ul style="list-style-type: none"> <li>○ No INPUT elements found in document body that contain the 'ismap' attribute.</li> </ul> </li> </ul> <p>Verified By: Russ Morris</p>			N/A
<p><a href="#">F. 508 Standards, Section 1194.22, (f)</a> Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.</p> <ul style="list-style-type: none"> <li>● Rule: 9.1.1 - No IMG element should contain the 'ismap' attribute. <ul style="list-style-type: none"> <li>○ No server-side image map IMG elements found in document body.</li> </ul> </li> <li>● Rule: 9.1.2 - No INPUT element should contain the 'ismap' attribute. <ul style="list-style-type: none"> <li>○ No server-side image map INPUT elements found in document body.</li> </ul> </li> </ul>			N/A
<p><a href="#">G. 508 Standards, Section 1194.22, (g)</a> Row and column headers shall be identified for data tables.</p> <ul style="list-style-type: none"> <li>● Rule: 5.1.1 - Identify all Data TABLE elements. <ul style="list-style-type: none"> <li>○ Note: Data TABLE Element found at Line: 163, Column: 1.</li> </ul> </li> </ul> <p>Verified By: Russ Morris</p>		No	
<p><a href="#">H. 508 Standards, Section 1194.22, (h)</a> Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.</p> <ul style="list-style-type: none"> <li>● Rule: 5.2.1 - Identify all Data TABLE elements. <ul style="list-style-type: none"> <li>○ Note: Data TABLE Element found at Line: 163, Column: 1.</li> </ul> </li> </ul> <p>Verified By: Russ Morris</p>			N/A
<p><a href="#">I. 508 Standards, Section 1194.22, (i)</a> Frames shall be titled with text that facilitates frame identification and navigation.</p> <ul style="list-style-type: none"> <li>● Document is not a FRAMESET Page.</li> </ul>			N/A

<p><a href="#">J. 508 Standards, Section 1194.22, (j)</a> Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.</p> <ul style="list-style-type: none"> <li>● Rule: 7.1.1 - Documents are required not to contain the BLINK element. <ul style="list-style-type: none"> <li>○ No BLINK elements found in document body.</li> </ul> </li> <li>● Rule: 7.1.2 - Documents are required not to contain the MARQUEE element. <ul style="list-style-type: none"> <li>○ No MARQUEE elements found in document body.</li> </ul> </li> <li>● Note: SCRIPT element(s) found in document body, a visual verification must be done to ensure the script does not cause the screen to flicker.</li> </ul> <p>Verified By: Russ Morris</p>	Yes		
<p><a href="#">K. 508 Standards, Section 1194.22, (k)</a> A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.</p> <p>Verified By: Russ Morris</p>			N/A
<p>(k) Option A - Check for the string 'Text Version' within the document.</p>			N/V
<p>(k) Option B - Check for a Global Text Version Link within the document.</p>			N/V
<p>(k) Option C - Check for an Accessibility Policy Link within the document.</p>			N/V
<p><a href="#">L. 508 Standards, Section 1194.22, (l)</a> When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by assistive technology.</p> <ul style="list-style-type: none"> <li>● Rule: 6.3.1 - Anchor elements are required not to use javascript for the link target when the NOSCRIPT element is not present in the document. These elements will not cause a failure of the checkpoint if the NOSCRIPT element is found, however, they will be identified. <ul style="list-style-type: none"> <li>○ Warning: Anchor Element found at Line: 142, Column: 21 contains 'javascript:' in the 'href' attribute and the NOSCRIPT element is not present within the document body.</li> <li>○ Warning: Anchor Element found at Line: 147, Column: 1 contains 'javascript:' in the 'href' attribute and the NOSCRIPT element is not present within the document body.</li> <li>○ Warning: Anchor Element found at Line: 148, Column: 1 contains 'javascript:' in the 'href' attribute and the NOSCRIPT element is not present within the document body.</li> </ul> </li> <li>● Rule: 6.3.2 - AREA elements are required not to use javascript for the link target when the NOSCRIPT element is not present in the document. These elements will not cause a failure of the checkpoint if the NOSCRIPT element is found, however, they will be identified. <ul style="list-style-type: none"> <li>○ No AREA Elements found in document body.</li> </ul> </li> <li>● Rule: 6.3.3 - Locate elements that use HTML event handlers. <ul style="list-style-type: none"> <li>○ Note: A Element found at Line: 53, Column: 25 contains the 'onblur' event handler.</li> <li>○ Note: A Element found at Line: 53, Column: 25 contains the 'onfocus' event handler.</li> <li>○ Note: A Element found at Line: 53, Column: 25 contains the 'onmouseout' event handler.</li> <li>○ Note: A Element found at Line: 53, Column: 25 contains the 'onmouseover' event handler.</li> <li>○ Note: A Element found at Line: 53, Column: 281 contains the 'onblur' event handler.</li> <li>○ Note: A Element found at Line: 53, Column: 281 contains the 'onfocus' event handler.</li> <li>○ Note: A Element found at Line: 53, Column: 281 contains the 'onmouseout' event handler.</li> <li>○ Note: A Element found at Line: 53, Column: 281 contains the 'onmouseover' event handler.</li> <li>○ Note: A Element found at Line: 53, Column: 537 contains the 'onblur' event handler.</li> <li>○ Note: A Element found at Line: 53, Column: 537 contains the 'onfocus' event handler.</li> <li>○ Note: A Element found at Line: 53, Column: 537 contains the 'onmouseout'</li> </ul> </li> </ul>		No	

event handler.

- Note: A Element found at Line: 53, Column: 537 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 53, Column: 797 contains the 'onblur' event handler.
- Note: A Element found at Line: 53, Column: 797 contains the 'onfocus' event handler.
- Note: A Element found at Line: 53, Column: 797 contains the 'onmouseout' event handler.
- Note: A Element found at Line: 53, Column: 797 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 53, Column: 1069 contains the 'onblur' event handler.
- Note: A Element found at Line: 53, Column: 1069 contains the 'onfocus' event handler.
- Note: A Element found at Line: 53, Column: 1069 contains the 'onmouseout' event handler.
- Note: A Element found at Line: 53, Column: 1069 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 56, Column: 348 contains the 'onblur' event handler.
- Note: A Element found at Line: 56, Column: 348 contains the 'onfocus' event handler.
- Note: A Element found at Line: 56, Column: 348 contains the 'onmouseout' event handler.
- Note: A Element found at Line: 56, Column: 348 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 61, Column: 1 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 62, Column: 4 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 63, Column: 4 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 64, Column: 4 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 65, Column: 4 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 66, Column: 4 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 67, Column: 4 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 68, Column: 4 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 69, Column: 4 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 70, Column: 4 contains the 'onmouseover' event handler.
- Note: DIV Element found at Line: 181, Column: 24 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 181, Column: 89 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 181, Column: 280 contains the 'onmouseover' event handler.
- Note: DIV Element found at Line: 182, Column: 1 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 182, Column: 76 contains the 'onmouseover' event handler.
- Note: DIV Element found at Line: 183, Column: 1 contains the 'onmouseover' event handler.
- Note: DIV Element found at Line: 184, Column: 1 contains the 'onmouseover' event handler.
- Note: DIV Element found at Line: 185, Column: 1 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 185, Column: 66 contains the 'onmouseover' event handler.
- Note: DIV Element found at Line: 186, Column: 1 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 186, Column: 152 contains the 'onmouseover' event handler.

- Note: DIV Element found at Line: 187, Column: 1 contains the 'onmouseover' event handler.
- Note: DIV Element found at Line: 188, Column: 1 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 188, Column: 66 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 188, Column: 261 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 188, Column: 455 contains the 'onmouseover' event handler.
- Note: DIV Element found at Line: 189, Column: 1 contains the 'onmouseover' event handler.
- Note: DIV Element found at Line: 190, Column: 1 contains the 'onmouseover' event handler.
- Note: DIV Element found at Line: 191, Column: 1 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 191, Column: 255 contains the 'onmouseover' event handler.
- Note: DIV Element found at Line: 192, Column: 1 contains the 'onmouseover' event handler.
- Note: DIV Element found at Line: 193, Column: 1 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 193, Column: 255 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 193, Column: 834 contains the 'onmouseover' event handler.
- Note: DIV Element found at Line: 194, Column: 1 contains the 'onmouseover' event handler.
- Note: DIV Element found at Line: 195, Column: 1 contains the 'onmouseover' event handler.
- Note: DIV Element found at Line: 196, Column: 1 contains the 'onmouseover' event handler.
- Note: DIV Element found at Line: 197, Column: 1 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 197, Column: 66 contains the 'onmouseover' event handler.
- Note: A Element found at Line: 197, Column: 345 contains the 'onmouseover' event handler.
- Note: DIV Element found at Line: 198, Column: 1 contains the 'onmouseover' event handler.
- Note: DIV Element found at Line: 199, Column: 1 contains the 'onmouseover' event handler.
- Note: DIV Element found at Line: 200, Column: 1 contains the 'onmouseover' event handler.
- Note: DIV Element found at Line: 201, Column: 1 contains the 'onmouseover' event handler.
- Note: DIV Element found at Line: 202, Column: 1 contains the 'onmouseover' event handler.
- Rule: 6.3.4 - When SCRIPT Elements are used, the NOSCRIPT element is required in the document.
  - Warning - SCRIPT Element(s) are found in document and the NOSCRIPT element is not.

Verified By: Russ Morris

<p><a href="#">M. 508 Standards, Section 1194.22, (m)</a> When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).</p> <ul style="list-style-type: none"> <li>● Rule: 6.3.5 - All OBJECT elements are required to contain element content. <ul style="list-style-type: none"> <li>○ No OBJECT elements found in document body.</li> </ul> </li> <li>● Rule: 6.3.6 - All APPLET elements are required to contain both element content and the alt attribute. <ul style="list-style-type: none"> <li>○ No APPLET elements found in document body.</li> </ul> </li> <li>● Rule: 6.3.7 - When EMBED Elements are used, the NOEMBED element is required in the document. <ul style="list-style-type: none"> <li>○ No EMBED elements found in document body.</li> </ul> </li> <li>● Rule: 6.3.8 - All pages that have links to files that require a special reader or plug-in are required to contain the specified text indicating a link to the reader or plug-in. <ul style="list-style-type: none"> <li>○ Note: This rule has not been selected to be verified for this checkpoint.</li> </ul> </li> </ul>	Yes		
<p><a href="#">N. 508 Standards, Section 1194.22, (n)</a> When electronic forms are designed to be completed on-line, the form shall allow people using assistive technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.</p> <ul style="list-style-type: none"> <li>● Rule: (n).1 - Ensure form controls are accessible for use with assistive technology. <ul style="list-style-type: none"> <li>○ Warning - INPUT Element, of Type IMAGE, at Line: 56, Column: 128 does not have a label association and uses the 'alt' attribute. Although accessible, some assistive technologies may not be able to read this value.</li> <li>○ Note: 2 INPUT Elements in FORM Element at Line: 50, Column: 3 do not use the 'accesskey' attribute. Please be sure that the 'accesskey' attribute is used on any form control where it makes sense to do so.</li> <li>○ Note: 1 INPUT Element in FORM Element at Line: 50, Column: 3 does not use the 'tabindex' attribute. Please be sure that the 'tabindex' attribute is used on form controls when the logical tab order is not easily identified.</li> </ul> </li> </ul>			Warning
<p><a href="#">O. 508 Standards, Section 1194.22, (o)</a> A method shall be provided that permits users to skip repetitive navigation links.</p> <ul style="list-style-type: none"> <li>● Rule: (o).1 - All pages are required to contain a bookmark link to skip navigation that has the specified text in either the link text or the 'title' attribute value. Skip Navigation Text: <ul style="list-style-type: none"> <li>○ Note: This rule has not been selected to be verified for this checkpoint.</li> </ul> </li> </ul> <p>Verified By: Russ Morris</p>	Yes		
<p><a href="#">P. 508 Standards, Section 1194.22, (p)</a> When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.</p> <p>Verified By: Russ Morris</p>			N/A

Checkpoint Result Legend: **Yes** = Passed Automated Verification, **No** = Failed Automated Verification, **Warning** = Failed Automated Verification, however, configured not to cause page to fail (Priority 2 or 3 only), **N/V** = Not selected for verification, **N/A** = No related elements were found in document (Visual only), **No Value** = Visual Checkpoint

## Source Listing

```

1:
2: <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3c
3: <html lang="en">
4:   <head>
5:

```

```

6: <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
7: <meta name="description" content="">
8: <meta name="keywords" content="">
9: <meta name="robots" content="index, follow">
10: <meta name="revisit-after" content="7 days">
11:
12:
13: <title>Undergraduate Studies</title>
14:
15: <!-- javascript for contact form pop-up window -->
16: <script language="JavaScript" type="text/javascript">
17: <!--
18: function displayWindow(url, width, height) {
19:     var Win = window.open(url,"displayWindow",'width=500' + width + ',heig
20: }
21: //-->
22: </script>
23: <script src="/js/nav.js" language="javascript" type="text/javascript"></sc
24: <script src="/resources/page.js" type="text/javascript"></script>
25:
26: <script src="/resources/menu_over.js" type="text/javascript"></script>
27:
28:
29:
30: <link rel="Stylesheet" href="/resources/sjsu.css" type="text/css">
31:
32:
33: <link href="/pics/favicon.ico" type="image/x-icon" rel="shortcut icon">
34:
35:
36:
37: </head>
38:
39:
40: <body leftmargin="0" topmargin="0" marginwidth="0" marginheight="0">
41:
42:
43:
44: <!-- CHANGE TABLE BACKGROUND to OpenCms Site Constant -->
45:
46: <table width="770" border="0" cellpadding="0" cellspacing="0" background="
47:
48: <!--- begin global sjsu.edu navigation --->
49:
50: <form name="seek1" method="GET" action="http://search.sjsu.edu/query.html">
51:
52: <tr><td id="access_links"><a href="#body"><a href="/" onmouseover="ovR('img1');return true" OnFo
54: <label for="search" accesskey="s">
61: <a onmouseover="buttonMouseover(event, 'menu0');" href="/ugs/students/">Studen

```

```

62: | <a onmouseover="buttonMouseover(event, 'menu1');" href="/ugs/accreditation/
63: | <a onmouseover="buttonMouseover(event, 'menu2');" href="/ugs/assessment/">A
64: | <a onmouseover="buttonMouseover(event, 'menu3');" href="/ugs/ge/">General E
65: | <a onmouseover="buttonMouseover(event, 'menu4');" href="/ugs/catalog/">Cata
66: | <a onmouseover="buttonMouseover(event, 'menu5');" href="/ugs/committees/">C
67: | <a onmouseover="buttonMouseover(event, 'menu6');" href="/ugs/curriculum/">C
68: | <a onmouseover="buttonMouseover(event, 'menu7');" href="/ugs/datareports/">
69: | <a onmouseover="buttonMouseover(event, 'menu8');" href="/ugs/programplannin
70: | <a onmouseover="buttonMouseover(event, 'menu9');" href="/ugs/staff/">UGS St
71:
72: </div>
73:
74:     <!-- END OF PRIMARY NAVIGATION -->
75:
76:
77:
78:
79: <tr>
80:   <td width="10">
81:     <a name="body"></a>
82:   </td>
83:   <td class="bodytext" valign="top" align="left">
84:     
85:     <table cellspacing="15" cellpadding="0" width="770" summary="main page cont
86:     <tbody>
87:       <tr>
88:
89:         <!-- PRIMARY PAGE CONTENT START -->
90:
91:         <!-- large content image -->
92:         <!-- large image in opencms _config settings -->
93:         <td width="284" height="284" valign="top" id="home_image">
94:
95:           <IMG title="photo: 3-up of water fountain, male and female hispanic stu
96:           <!---->
97:         </td>
98:
99:         <!-- boiler plate (home page intro paragraph) text -->
100:        <td width="485" colspan="3" valign="top" id="homecontent">
101:
102:
103:
104:
105:        <table width="435" border="0" cellpadding="3" cellspacing="0" summary="brea
106:        <tr>
107:          <td id="breadcrumb">
108:            <a href="http://www.sjsu.edu/">SJSU Home</a> : <a href="#">Undergraduate
109:
110:          </td>
111:        </tr>
112:        </table>
113:
114:
115: <h1>Welcome</h1><p>The Office of Undergraduate Studies (UGS) supports and over
116: <P>UGS facilitates many aspects of curriculum, with special emphasis on genera
117: education, undergraduate curricular proposals, and the Academic Master Plan.

```

118: This office is also involved in assessment of student learning, program  
119: planning, course equivalency agreements with other colleges (articulation), an  
120: accreditation. Certain unusual student petitions are reviewed by UGS, and  
121: undergraduate special majors are authorized here. UGS oversees the MUSE progra  
122: Peer Mentors, Service Learning, and coordination of Teacher Subject Matter  
123: Preparation.</P>  
124: <P>&nbsp;</P>  
125:  
126: <table width="100%" border="0" cellspacing="0" cellpadding="0"><tr valign="top  
127: <ul><li><a href="http://artic.sjsu.edu/" target="\_self">Articulation Office</a  
128: href="/resources/links/MUSE" target=\_self>MUSE Program</A></li><li><a href=" "  
129: target=\_self>Campus Reading Program</A></li><li><a target="\_self" href="http  
130: Cafe</a></li><LI><A href="http://www.sjsu.edu/educatedpersondialogue/"  
131: target=\_self>Educated Person Dialog</A>  
132: </LI><LI><A title="Academic Planning & Budgets"  
133: href="/resources/links/AcademicPlanningandBudgets"  
134: target=\_self>Office of Institutional Research</A></LI></ul></td><td width="5  
135: <p class="address">&nbsp;</p>  
136: <p class="address">Undergraduate Studies<br >  
137: One Washington Square<br >  
138: San JosÃ©, CA 95192-0030<br >  
139: 408.924.2447<br >  
140: fax: 408.924.2444<br >  
141: Located in ADM 159<br ></p>  
142: <p class="address"><a href="javascript:displayWindow('/ugs/contact.htm')">con  
143:  
144:  
145: <!-- disabled all controlbuttons for beta testing -->  
146: <p align="left">  
147: <a href="javascript:openPrintVersion();" title="Print-friendly"><img height="1  
148: <a href='javascript:displayWindow("http://www.sjsu.edu/contact/recommend.jsp?u  
149: <!--<a href="javascript:openRecommendForm('recommend.html', '/ugs/index.htm',  
150: </p></td></tr></table>  
151:  
152: </td>  
153: </tr>  
154: </tbody>  
155: </table>  
156: </td>  
157: <td width="10">  
158:   
159: </td>  
160: </tr>  
161: <!-- Begin of Footer -->  
162:  
163: <table id="footer" cellspacing="0" cellpadding="0" width="770"  
164: summary="footer" border="0">  
165: <tbody>  
166: <tr>  
167: <td width="138"></td>  
169: <td width="435" align="center" valign="bottom">  
170: <p>San Jos&eacute; State University - Home of the Spartans<br>  
171: One Washington Square - San Jos&eacute;, California USA, 95192 -  
172: 408.924.1000</p>  
173: <br>

```
174: <br></td>
175: <td valign="top">
176: <p><a href="http://www.sjsu.edu/"></a></p></td></tr></tbody></table>
179: <br>
180:
181: <!-- End of Footer --><div class="menu" id="menu0" onmouseover="menuMouseover
182: <div class="menu" id="menu0_989656244" onmouseover="menuMouseover(event);"><a
183: <div class="menu" id="menu0_989656244_-632864995" onmouseover="menuMouseover(e
184: <div class="menu" id="menu0_547915414" onmouseover="menuMouseover(event);"><a
185: <div class="menu" id="menu1" onmouseover="menuMouseover(event);"><a class="mI "
186: <div class="menu" id="menu1_1442223246" onmouseover="menuMouseover(event);"><a
187: <div class="menu" id="menu1_1442223246_-2100455574" onmouseover="menuMouseover
188: <div class="menu" id="menu2" onmouseover="menuMouseover(event);"><a class="mI "
189: <div class="menu" id="menu2_701792868" onmouseover="menuMouseover(event);"><a
190: <div class="menu" id="menu2_27835489" onmouseover="menuMouseover(event);"><a c
191: <div class="menu" id="menu2_-1358590736" onmouseover="menuMouseover(event);"><
192: <div class="menu" id="menu2_-1358590736_1027824165" onmouseover="menuMouseover
193: <div class="menu" id="menu3" onmouseover="menuMouseover(event);"><a class="mI "
194: <div class="menu" id="menu3_-1566222768" onmouseover="menuMouseover(event);"><
195: <div class="menu" id="menu3_1814545609" onmouseover="menuMouseover(event);"><a
196: <div class="menu" id="menu4" onmouseover="menuMouseover(event);"><a class="mI "
197: <div class="menu" id="menu5" onmouseover="menuMouseover(event);"><a class="mI "
198: <div class="menu" id="menu5_-317380581" onmouseover="menuMouseover(event);"><a
199: <div class="menu" id="menu5_-655675014" onmouseover="menuMouseover(event);"><a
200: <div class="menu" id="menu6" onmouseover="menuMouseover(event);"><a class="mI "
201: <div class="menu" id="menu7" onmouseover="menuMouseover(event);"><a class="mI "
202: <div class="menu" id="menu8" onmouseover="menuMouseover(event);"><a class="mI "
203:
204:
205:
206: </body>
207: </html>
```

---